

FILE 'MEDLINE' ENTERED AT 15:14:37 ON 10 OCT 2001

FILE 'LIFESCI' ENTERED AT 15:14:37 ON 10 OCT 2001
COPYRIGHT (C) 2001 Cambridge Scientific Abstracts (CSA)

FILE 'BIOSIS' ENTERED AT 15:14:37 ON 10 OCT 2001
COPYRIGHT (C) 2001 BIOSIS(R)

=> S SREB2

L1 3 SREB2

=> D 1

L1 ANSWER 1 OF 3 MEDLINE
AN 2000294882 MEDLINE
DN 20294882 PubMed ID: 10833454
TI An evolutionarily conserved G-protein coupled receptor family, SREB,
expressed in the central nervous system.
AU Matsumoto M; Saito T; Takasaki J; Kamohara M; Sugimoto T; Kobayashi M;
Tadokoro M; Matsumoto S; Ohishi T; Furuichi K
CS Molecular Medicine Laboratories, Institute for Drug Discovery Research,
Yamanouchi Pharmaceutical Co., Ltd., 21 Miyukigaoka, Tsukuba, Ibaraki,
Japan.. matsum_m@yamanouchi.co.jp
SO BIOCHEMICAL AND BIOPHYSICAL RESEARCH COMMUNICATIONS, (2000 Jun 7) 272 (2)
576-82.
Journal code: 9Y8; 0372516. ISSN: 0006-291X.
CY United States
DT Journal; Article; (JOURNAL ARTICLE)
LA English
FS Priority Journals
OS GENBANK-AB040799; GENBANK-AB040800; GENBANK-AB040801; GENBANK-AB040802;
GENBANK-AB040803; GENBANK-AB040804; GENBANK-AB040805; GENBANK-AB040806
EM 200007
ED Entered STN: 20000720
Last Updated on STN: 20000720
Entered Medline: 20000710

=> D 2

L1 ANSWER 2 OF 3 LIFESCI COPYRIGHT 2001 CSA
AN 2001:9742 LIFESCI
TI An Evolutionarily Conserved G-Protein Coupled Receptor Family, SREB,
Expressed in the Central Nervous System
AU Matsumoto, M.; Saito, T.; Takasaki, J.; Kamohara, M.; Sugimoto, T.;
Kobayashi, M.; Tadokoro, M.; Matsumoto, S.; Ohishi, T.; Furuichi, K.
CS Molecular Medicine Laboratories, Yamanouchi Pharmaceutical Co., Ltd., 21
Miyukigaoka, Tsukuba, Ibaraki, 305-8585, Japan; E-mail:
matsumm@yamanouchi.co.jp
SO Biochemical and Biophysical Research Communications [Biochem. Biophys.
Res. Commun.], (20000607) vol. 272, no. 2, pp. 576-582.
ISSN: 0006-291X.
DT Journal
FS N3; G
LA English
SL English

=> D 3

L1 ANSWER 3 OF 3 BIOSIS COPYRIGHT 2001 BIOSIS
 AN 2000:344938 BIOSIS
 DN PREV200000344938
 TI An evolutionarily conserved G-protein coupled receptor family, SREB,
 expressed in the central nervous system.
 AU Matsumoto, Mitsuyuki (1); Saito, Tetsu; Takasaki, Jun; Kamohara,
 Masazumi;
 Sugimoto, Toru; Kobayashi, Masato; Tadokoro, Mina; Matsumoto,
 Shun-ichiro;
 Ohishi, Takahide; Furuichi, Kiyoshi
 CS (1) Molecular Medicine Laboratories, Institute for Drug Discovery
 Research, Yamanouchi Pharmaceutical Co., Ltd., 21 Miyukigaoka, Tsukuba,
 Ibaraki, 305-8585 Japan
 SO Biochemical and Biophysical Research Communications, (June 7, 2000) Vol.
 272, No. 2, pp. 576-582. print.
 ISSN: 0006-291X.
 DT Article
 LA English
 SL English

=> LOGOFF HOLD

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
4.83	4.98

FULL ESTIMATED COST

SESSION WILL BE HELD FOR 60 MINUTES
 STN INTERNATIONAL SESSION SUSPENDED

Trying 3106016892...Open

Welcome to STN International! Enter x:x
LOGINID:SSSPTA1647SXW
PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 Dec 17 The CA Lexicon available in the CAPLUS and CA files
NEWS 3 Feb 06 Engineering Information Encompass files have new names
NEWS 4 Feb 16 TOXLINE no longer being updated
NEWS 5 Apr 23 Search Derwent WPINDEX by chemical structure
NEWS 6 Apr 23 PRE-1967 REFERENCES NOW SEARCHABLE IN CAPLUS AND CA
NEWS 7 May 07 DGENE Reload
NEWS 8 Jun 20 Published patent applications (A1) are now in USPATFULL
NEWS 9 JUL 13 New SDI alert frequency now available in Derwent's
DWPI and DPCI
NEWS 10 Aug 23 In-process records and more frequent updates now in
MEDLINE
NEWS 11 Aug 23 PAGE IMAGES FOR 1947-1966 RECORDS IN CAPLUS AND CA
NEWS 12 Aug 23 Adis Newsletters (ADISNEWS) now available on STN
NEWS 13 Sep 17 IMSworld Pharmaceutical Company Directory name change
to PHARMASEARCH
NEWS 14 Oct 09 Korean abstracts now included in Derwent World Patents
Index
NEWS 15 Oct 09 Number of Derwent World Patents Index updates increased

NEWS EXPRESS August 15 CURRENT WINDOWS VERSION IS V6.0c,
CURRENT MACINTOSH VERSION IS V6.0 (ENG) AND V6.0J (JP),
AND CURRENT DISCOVER FILE IS DATED 07 AUGUST 2001
NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 15:14:21 ON 10 OCT 2001

=> FILE .RECEPTOR
COST IN U.S. DOLLARS
FULL ESTIMATED COST

SINCE FILE	TOTAL
ENTRY	SESSION
0.15	0.15

5. **The 3',5'-cyclic adenosine monophosphate response element binding protein (CREB) is functionally reduced in human toxic thyroid adenomas.** ☐ Select
Brunetti A, Chiefari E, Filetti S, Russo D
Endocrinology 2000 Feb **141**:2 722-30
[MEDLINE](#), [full MEDLINE](#), [related records](#)
6. **Measurement of responses from Gi-, Gs-, or Gq-coupled receptors by a multiple response element/cAMP response element-directed reporter assay.** ☐ Select
Fitzgerald LR, Mannan JJ, Dytko GM, Wu HL, Nambi P
Anal Biochem 1999 Nov 1 **275**:1 54-61
[MEDLINE](#), [full MEDLINE](#), [related records](#), [full text](#), [Cited by](#)
7. **Growth hormone-releasing hormone: synthesis and signaling.** ☐ Select
Mayo KE, Godfrey PA, Suhr ST, Kulik DJ, Rahal JO
Recent Prog Horm Res 1995 **50**: 35-73
[MEDLINE](#), [full MEDLINE](#), [related records](#), [Cited by](#)
8. **Neurotransmitter- and growth factor-induced cAMP response element binding protein phosphorylation in glial cell progenitors: role of calcium ions, protein kinase C, and mitogen-activated protein kinase/ribosomal S6 kinase pathway.** ☐ Select
Pende M, Fisher TL, Simpson PB, Russell JT, Blenis J, Gallo V
J Neurosci 1997 Feb 15 **17**:4 1291-301
[MEDLINE](#), [full MEDLINE](#), [related records](#), [full text](#), [Cited by](#)
9. **Galanin receptor 1 gene expression is regulated by cyclic AMP through a CREB-dependent mechanism.** ☐ Select
Zachariou V, Georgescu D, Kansal J, Merriam P, Picciotto MR
J Neurochem 2001 Jan **76**:1 191-200
[MEDLINE](#), [full MEDLINE](#), [related records](#)
10. **Deletion of crhr2 reveals an anxiolytic role for corticotropin-releasing hormone receptor-2.** ☐ Select
Kishimoto T, Radulovic J, Radulovic M, Lin CR, Schrick C, Hooshmand F, Hermanson O, Rosenfeld MG, Spiess J
Nat Genet 2000 Apr **24**:4 415-9
[MEDLINE](#), [full MEDLINE](#), [related records](#), [Cited by](#)
11. **Nuclear effects of the cAMP pathway activation in somatotrophs.** ☐ Select
Bertherat J
Horm Res 1997 **47**:4-6 245-50
[MEDLINE](#), [full MEDLINE](#), [related records](#)
12. **Neuropeptide Y treatment and food deprivation increase cyclic AMP response element-binding in rat hypothalamus.** ☐ Select
Sheriff S, Chance WT, Fischer JE, Balasubramaniam A
Mol Pharmacol 1997 Apr **51**:4 597-604
[MEDLINE](#), [full MEDLINE](#), [related records](#), [full text](#)

<input checked="" type="radio"/> Download Refs	<input type="text" value="Select Format"/>	<input type="button" value="GO"/>
<input type="radio"/> Refs as text	12 Records	<input type="button" value="GO"/>
<input type="radio"/> View Multiple		
<input type="button" value="Get All"/> <input type="button" value="Get Selected Refs"/>		

Modify your query
or enter a new term

Research
Tools

Reviews

Journal
CollectionNews &
CommentBooks &
LabwareScience
JobsWeb
Links

research.bmn.com

Latest
Updates

MEDLINE

Swiss
ProtTechnical
TipsStructures
DatabaseMouse
KnockoutSection
Search

My BMN

Exit

Feedback

Help

MEDLINE

MEDLINE

[Simple](#) [Advanced](#) [Citation](#) [History](#)

Search

[Browse by Journal](#)[Browse MESH](#)[Preferences](#)[About MEDLINE](#)

1 - 12 of 12

Save Search

1. **The GABAB receptor interacts directly with the related transcription factors CREB2 and ATFx.**

[White JH](#), [McIlhinney RA](#), [Wise A](#), [Ciruela F](#), [Chan WY](#),
[Emson PC](#), [Billinton A](#), [Marshall FH](#)
Proc Natl Acad Sci U S A 2000 Dec 5 **97**:25 13967-72
[MEDLINE](#), [full MEDLINE](#), [related records](#), [full text](#), [Cited by](#)

☐ Select

2. **Multimeric CREB-binding sites in the promoter regions of a family of G-protein-coupled receptors related to the vertebrate galanin and nociceptin/orphanin-FQ receptor families.**

[Saunders SE](#), [Burke JF](#), [Benjamin PR](#)
Eur J Neurosci 2000 Jul **12**:7 2345-53
[MEDLINE](#), [full MEDLINE](#), [related records](#)

☐ Select

3. **G protein-coupled receptors desensitize and down-regulate epidermal growth factor receptors in renal mesangial cells.**

[Grewal JS](#), [Luttrell LM](#), [Raymond JR](#)
J Biol Chem 2001 Jul 20 **276**:29 27335-44
[MEDLINE](#), [full MEDLINE](#), [related records](#), [full text](#)

☐ Select

4. **Ca(2+)-permeable AMPA receptors induce phosphorylation of cAMP response element-binding protein through a phosphatidylinositol 3-kinase-dependent stimulation of the mitogen-activated protein kinase signalling cascade in neurons.**

[Perkinton MS](#), [Sihra TS](#), [Williams RJ](#)
J Neurosci 1999 Jul 15 **19**:14 5861-74
[MEDLINE](#), [full MEDLINE](#), [related records](#), [full text](#), [Cited by](#)

☐ Select

Quick Site Search

BioMedNet

[Advanced site search](#)

Research
Tools

Reviews

Journal
CollectionNews &
CommentBooks &
LabwareScience
JobsWeb
Links

research.bmn.com

Latest
Updates

MEDLINE

Swiss
ProtTechnical
TipsStructures
DatabaseMouse
KnockoutSection
Search

My BMN

Exit

Feedback

Help

MEDLINE

MEDLINE

[Simple](#) [Advanced](#) [Citation](#) [History](#)

Search

[Browse by Journal](#)[Browse MESH](#)[Preferences](#)[About MEDLINE](#)

1 - 10 of 10

Save Search

1. **The small GTP-binding protein Rho links G protein-coupled receptors and G α 12 to the serum response element and to cellular transformation.**

Fromm C, Coso OA, Montaner S, Xu N, Gutkind JS
Proc Natl Acad Sci U S A 1997 Sep 16 **94**:19 10098-103
[MEDLINE](#), [full MEDLINE](#), [related records](#), [full text](#), [Cited by](#)

☐ Select

2. **Nuclear signalling by endothelin-1. A Ras pathway for activation of the c-fos serum response element.**

Herman WH, Simonson MS
J Biol Chem 1995 May 12 **270**:19 11654-61
[MEDLINE](#), [full MEDLINE](#), [related records](#), [full text](#), [Cited by](#)

☐ Select

3. **Transcriptional responses to growth factor and G protein-coupled receptors in PC12 cells: comparison of α 1-adrenergic receptor subtypes.**

Minneman KP, Lee D, Zhong H, Berts A, Abbott KL, Murphy TJ
J Neurochem 2000 Jun **74**:6 2392-400
[MEDLINE](#), [full MEDLINE](#), [related records](#), [Cited by](#)

☐ Select

4. **G13 α -mediated PYK2 activation. PYK2 is a mediator of G13 α -induced serum response element-dependent transcription.**

Shi CS, Sinnarajah S, Cho H, Kozasa T, Kehrl JH
J Biol Chem 2000 Aug 11 **275**:32 24470-6
[MEDLINE](#), [full MEDLINE](#), [related records](#), [full text](#), [Cited by](#)

☐ Select

Quick Site Search

GO

BioMedNet

Advanced site search

5. **Dual mechanisms for lysophospholipid induction of proliferation of human breast carcinoma cells.** ☐ Select
[Goetzl EJ](#), [Dolezalova H](#), [Kong Y](#), [Zeng L](#)
Cancer Res 1999 Sep 15 **59**:18 4732-7
[MEDLINE](#), [full MEDLINE](#), [related records](#), [Cited by](#)
6. **M1 muscarinic acetylcholine receptors activate zif268 gene expression via small G-protein Rho-dependent and lambda-independent pathways in PC12D cells.** ☐ Select
[Hirabayashi T](#), [Saffen D](#)
Eur J Biochem 2000 May **267**:9 2525-32
[MEDLINE](#), [full MEDLINE](#), [related records](#)
7. **Intracellular pathways linking hypoxia to activation of c-fos and AP-1.** ☐ Select
[Premkumar DR](#), [Adhikary G](#), [Overholt JL](#), [Simonson MS](#), [Cherniack NS](#), [Prabhakar NR](#)
Adv Exp Med Biol 2000 **475**: 101-9
[MEDLINE](#), [full MEDLINE](#), [related records](#)
8. **A distinct cation-sensing mechanism in MC3T3-E1 osteoblasts functionally related to the calcium receptor.** ☐ Select
[Quarles LD](#), [Hartle JE](#), [Siddhanti SR](#), [Guo R](#), [Hinson TK](#)
J Bone Miner Res 1997 Mar **12**:3 393-402
[MEDLINE](#), [full MEDLINE](#), [related records](#), [Cited by](#)
9. **Role of Rho GTPase in the endothelin-1-induced nuclear signaling.** ☐ Select
[Kim JH](#), [Cho YS](#), [Kim BC](#), [Kim YS](#), [Lee GS](#)
Biochem Biophys Res Commun 1997 Mar 6 **232**:1 223-6
[MEDLINE](#), [full MEDLINE](#), [related records](#), [full text](#)
10. **Cooperative transformation of NIH3T3 cells by G alpha12 and Rac1.** ☐ Select
[Tolkacheva T](#), [Feuer B](#), [Lorenzi MV](#), [Saez R](#), [Chan AM](#)
Oncogene 1997 Aug 7 **15**:6 727-35
[MEDLINE](#), [full MEDLINE](#), [related records](#)

<input checked="" type="radio"/> Download Refs <input type="text" value="Select Format"/>	<input type="button" value="Save Search"/>
<input type="radio"/> Refs as text 10 Records <input type="button" value="?"/>	
<input type="radio"/> View Multiple	
<input type="button" value="Get All"/> <input type="button" value="Get Selected Refs"/>	

Modify your query or enter a new term	<input type="text" value="SRE and G-protein and receptors"/>	<input type="button" value="GO"/>
---------------------------------------	--	-----------------------------------